



C-TRF/1.5-5 - Syndrome Scale Scores

C-TRF/1.5-5 - Internalizing, Externalizing, Total Problems, Stress Problems, and Other Problems





C-TRF/1.5-5 - DSM-Oriented Scales

C-TRF 1.5-5 - Narrative Report And Critical Items

ID: Testing Profiles - Anna maria Fernandez		
Name: Anna Fernandez		
Gender: F		
Age: 21	Society	ASEBA Standard
Birth Date: 2016-08-18	Printed by:	ASEBA\asebatech2

Date Filled:2018-05-15Clinician:Masha ivanovaInformant:Sabrina RodriguezRelationship:Primarily care (caregiver)Agency:Burlington agency

The Caregiver-Teacher Report Form for Ages 1 1/2-5 (C-TRF 1.5-5) was completed by Sabrina Rodriguez, Anna's informant, to obtain her perception of Anna's problems. Sabrina Rodriguez reported knowing Anna for 21 months. Sabrina Rodriguez stated that Anna spends 40 hours a week at the facility.

On Anna's C-TRF 1.5-5 problem scales for girls aged 21, the Internalizing Problems scale score was in the normal range, the Externalizing Problems scale score was in the clinical range above the 90th percentile, the Total Problems scale score was in the borderline clinical range (84th to 90th percentile), the Stress Problems scale score was in the borderline clinical range (93rd to 97th percentile). Her scores on the Anxious / Depressed, Somatic Complaints, Withdrawn, Attention Problems and Aggressive Behavior syndromes were in the normal range. Her score on the Emotionally Reactive syndrome was in the borderline clinical range (93rd to 97th percentile). These results indicate that Anna's informant reported more problems than are typically reported for girls aged 21, particularly problems of Emotionally Reactive nature.

On the C-TRF/1.5-5 - DSM-Oriented Scales, Anna's scores on the Depressive Problems, Anxiety Problems, Autism Spectrum Problems and Attention Deficit / Hyperactivity Problems scales were in the normal range. Anna's score on the Oppositional Defiant Problems scale was in the borderline clinical range (93rd to 97th percentile). Anna's score in the borderline clinical range suggests that the DSM should be consulted to determine whether Anna might meet diagnostic criteria for disorders characterized by problems included on that scale.