


OASR/60 and Above - Adaptive Functioning Scale Scores

ID: 4d Z09 Gender: M Date Completed: 2017-06-28 Clinician: Clinician1 Clinician1 Informant: self Society: ASEBA Standard
 Name: Sample Older Adult Age: 76 Birth Date: 1940-11-30 Agency: Agency 2 Relationship: the informant Verified: No




B = Borderline clinical range; C = Clinical range; Broken Lines = Borderline clinical range

Printed by: DEMO\demo

OASR/60 and Above - Syndrome Scale Scores

ID: 4d Z09 Gender: M Date Completed: 2017-06-28 Clinician: Clinician1 Clinician1 Informant: self Society: ASEBA Standard
 Name: Sample Older Adult Age: 76 Birth Date: 1940-11-30 Agency: Agency 2 Relationship: the informant Verified: No




B = Borderline clinical range; C = Clinical range; Broken Lines = Borderline clinical range

Printed by: DEMO\demo

C* = Critical Item

OASR/60 and Above - Total Problems, Critical Items, Substance Use, and Other Problems

ID: 4d Z09 Gender: M Date Completed: 2017-06-28 Clinician: Clinician1 Clinician1 Informant: self Society: ASEBA Standard
 Name: Sample Older Adult Age: 76 Birth Date: 1940-11-30 Agency: Agency 2 Relationship: the informant Verified: No



Other Problems	
0	17.HarmsSelf C*
1	48.Tired
0	49k.OtherPhysical
0	50.Attacks C*
1	53.EnjoysLittle C*
1	56.AvoidsTalk
0	63.Punished
0	66.Shy
0	73.Steals
1	80.DrinksTooMuch C*
0	81.ThinksTalksSuicide C*
0	82.TroubleLaw C*
0	87.Threatens
1	97.CantSucceed
0	105.DislikePhone
0	115.Bored

B = Borderline clinical range; C = Clinical range; Broken Lines = Borderline clinical range


Printed by: DEMO\demo

C* = Critical Item

Substance Use	
0	124.Times a day tobacco was
0	125.Number of days had 5 or
0	126.Number of days drunk
0	127.Number of days drugs were

OASR/60 and Above - DSM-Oriented Scales

ID: 4d Z09 Gender: M Date Completed: 2017-06-28 Clinician: Clinician1 Clinician1 Informant: self Society: ASEBA Standard
 Name: Sample Older Adult Age: 76 Birth Date: 1940-11-30 Agency: Agency 2 Relationship: the informant Verified: No



Printed by: DEMO\demo

B = Borderline clinical range; C = Clinical range; Broken Lines = Borderline clinical range

C* = Critical Item

OASR 60-90 - Narrative Report And Critical Items

ID: 4d Z09

Name: Sample Older Adult

Gender: M

Age: 76

Birth Date: 1940-11-30

Society ASEBA Standard

Printed by: DEMO\demo

Date Completed: 2017-06-28

Clinician: Clinician1 Clinician1

Informant: self

Relationship: the informant

Agency: Agency 2

The Older Adult Self-Report for Ages 60 and Above (OASR 60-90) was completed by FirstName, to obtain his perception of his adaptive functioning, substance use, and problems.

On the OASR/60 and Above - Adaptive Functioning Scale Scores, FirstName's score on the Spouse/Partner scale was in the clinical range below the 3rd percentile. FirstName's score on the Friends scale was in the borderline clinical range (3rd to 7th percentile). FirstName's score on the Personal Strengths scale was in the normal range. FirstName reported his marital status as married, living with spouse.

FirstName reported using no tobacco in the past 2 months. FirstName also reported consuming no alcoholic drinks in the past 2 months. It was reported that FirstName had not been drunk. FirstName reported using no drugs for non-medical purposes during the past 2 months.

On the OASR 60-90 problem scales, FirstName's Total Problems score was in the normal range for men aged 76. Scores on all rated syndrome scales were in the normal range. FirstName's scores on the Critical Items are listed in the box below. The sum of FirstName's scores on the Critical Items was in the normal range.

On the OASR/60 and Above - DSM-Oriented Scales, FirstName's scores on all rated scales were in the normal range.

Critical Items

In addition to the scale scores, it is important to consider scores on individual problem items. Because they may raise particular challenges for management, it is especially important to note the problems listed below that were reported with scores of 1 or 2. Look at comments made by the informant on the form in relation to these problems to obtain more information about risks associated with the problems and the contexts in which the problems occur.

<u>Score</u>	<u>Problem Item</u>	<u>Score</u>	<u>Problem Item</u>	<u>Score</u>	<u>Problem Item</u>
0	5.TooMuchMeds	0	45.Fearful	1	80.DrinksTooMuch
1	7.Concentrate	0	47.Guilty	0	81.ThinksTalksSuicide
0	8.MindOff	0	49j.ShortBreath	0	82.TroubleLaw
1	12.Confused	0	50.Attacks	1	90.SleepProb
0	13.Cries	1	53.EnjoysLittle	1	93.Sad
0	17.HarmsSelf	0	57.RepeatsActs	0	101.WakesEarly
0	23.FeelsGuilty	0	61.SeesThings	0	110.Remember
0	26.Fears	1	67.Irresponsible	1	114.Forgets
0	31.OutToGet	1	69.Decisions	0	121.Burdensome
1	32.Worthless	0	74.StrangeBehv		
0	36.HearsThings	0	75.StrangeIdeas		